

Disinfection	Use Method	Contact Time	Study Conclusion
Gram Negative Bacteria			
Acinetobacter baumannii ATCC 19606	AOAC Use-Dilution	10 min.	Disinfection
Pseudomonas aeruginosa ATCC 15442	AOAC Use-Dilution	10 min.	Disinfection
Legionella pneumophila ATCC 33153	AOAC Use-Dilution	10 min.	Disinfection
Salmonella enterica ATCC 10708	AOAC Use-Dilution	10 min.	Disinfection
Klebsiella pneumoniae (NDM-1) ATCC BAA-2146	AOAC Use-Dilution	10 min.	Disinfection
Escherichia coli ATCC 11229	AOAC Use-Dilution	10 min.	Disinfection
Bordetella bronchiseptica ATCC 10580	AOAC Use-Dilution	10 min.	Disinfection
Gram Positive Bacteria			
Staphylococcus aureus MRSA ATCC 33592	AOAC Use-Dilution	10 min.	Disinfection
Staphylococcus aureus ATCC 6538	AOAC Use-Dilution	10 min.	Disinfection
Listeria monocytogenes ATCC 15313	AOAC Use-Dilution	10 min.	Disinfection
Mycobacterium bovis- BCG	AOAC Use-Dilution	10 min.	Disinfection
Enveloped Viruses	Use Method	Contact Time	Study Conclusion
Swine Influenza (H1N1) Virus**	Virucidal Efficacy	5 min.	Complete inactivation
Respiratory Syncytial Virus**	Virucidal Efficacy	5 min.	Complete inactivation
Influenza B Virus**	Virucidal Efficacy	5 min.	Complete inactivation
Hepatitis A Virus**	Virucidal Efficacy	5 min.	Complete inactivation
Hepatitis B Virus**	Virucidal Efficacy	5 min.	Complete inactivation
Hepatitis C Virus**	Virucidal Efficacy	5 min.	Complete inactivation
Human Immunodeficiency Virus (HIV Type 1)**	Virucidal Efficacy	5 min.	Complete inactivation

Hantavirus (Prospect Hill Virus) University of Ontario**	Virucidal Efficacy	5 min.	Complete inactivation	
Canine Distemper Virus, Strain Snyder Hill, ATCC VR**	Virucidal Efficacy	5 min.	Complete inactivation	
Felid Herpesvirus 1, Strain C-27, ATCC VR-636**	Virucidal Efficacy	10 min.	Complete inactivation	
Feline coronavirus, Strain WSU 79-1683, ATCC VR-989**	Virucidal Efficacy	10 min.	Complete inactivation	
Canine coronavirus, Strain 1-71, ATCC VR-809**	Virucidal Efficacy	10 min.	Complete inactivation	
Non-Enveloped Viruses				
	Use Method	Contact Time	Study Conclusion	
Rotavirus**	Virucidal Efficacy	5 min.	Complete inactivation	
Norovirus Feline Calicivirus**	Virucidal Efficacy	5 min.	Complete inactivation	
Murine Norovirus (MNV-1)**	Virucidal Efficacy	5 min.	Complete inactivation	
Adenovirus 1, Strain Adenoid 71, ATCC VR-1**	Virucidal Efficacy	10 min.	Complete inactivation	
Canine Parvovirus, Strain Cornell-780916, ATCC VR-2016**	Virucidal Efficacy	10 min.	Complete inactivation	
Canine adenovirus 1, Strain Utrecht, ATCC VR-293**	Virucidal Efficacy	10 min.	Complete inactivation	
Food Contact Sanitizer				
	Dilution Rate: 9:1	Use Method	Contact Time	Study Conclusion
Escherichia coli ATCC 11229		AOAC Food Contact Sanitization	60 sec.	99.999 Kill (no rinse required)
Staphylococcus aureus ATCC 33592		AOAC Food Contact Sanitization	60 sec.	99.999 Kill (no rinse required)
Carpet Sanitizer				
	Dilution Rate: 5:1	Use Method	Contact Time	Study Conclusion
Staphylococcus aureus ATCC 6538		DIS/TSS-8 Carpet Sanitizer	60 min.	99.9 Carpet Sanitizer
Enterbacter aerogenes ATCC 13048		DIS/TSS-8 Carpet Sanitizer	60 min.	99.9 Carpet Sanitizer
Soft Surface Sanitizer				
	Use Method	Contact Time	Study Conclusion	
Staphylococcus aureus ATCC 6538	Soft Surface Sanitization	5 min.	Sanitization	
Enterbacter aerogenes ATCC 13048	Soft Surface Sanitization	5 min.	Sanitization	
Fungi on Surface				
	Use Method	Contact Time	Study Conclusion	
Aspergillus niger ATCC 6275	Mildewstat	10 min.	> 4 weeks protection	

Trichophyton rubrum ATCC MYA	Fungicide	10 min.	No germination of spores
Trichophyton mentagrophytes ATCC 9533	Fungicide	10 min.	No germination of spores

Not EPA approved organisms

Stachybotrus Chartarum	Sporicidal Viability	10 min.	No germination of spores
Aspergillus Fumigatus	Sporicidal Viability	10 min.	No germination of spores
Alternaria Alternata	Sporicidal Viability	10 min.	No germination of spores
Penicillum sp	Sporicidal Viability	10 min.	No germination of spores